

STOCKBRIDGE
Cancer Incidence by Sex, 1993 - 1997
Expected and Observed Case Counts, with Standardized Incidence Ratios

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<u>Bladder, Urinary</u>				<u>Melanoma of Skin</u>			
Male	1.99	2	NC*	Male	1.09	0	NC*
Female	0.78	0	NC*	Female	0.89	0	NC*
Total	2.77	2	NC*	Total	1.98	0	NC*
<u>Brain and Other Central Nervous System</u>				<u>Multiple Myeloma</u>			
Male	0.57	1	NC*	Male	0.37	0	NC*
Female	0.52	0	NC*	Female	0.35	0	NC*
Total	1.09	1	NC*	Total	0.72	0	NC*
<u>Breast</u>				<u>Non-Hodgkin's Lymphoma</u>			
Male	0.13	0	NC*	Male	1.44	0	NC*
Female	11.89	8	67	Female	1.37	0	NC*
Total	12.02	8	67	Total	2.80	0	NC*
<u>Cervix Uteri</u>				<u>Oral Cavity and Pharynx</u>			
Female	0.70	0	NC*	Male	1.19	1	NC*
				Female	0.63	0	NC*
				Total	1.81	1	NC*
<u>Colon / Rectum</u>				<u>Ovary</u>			
Male	5.02	4	NC*	Female	1.41	1	NC*
Female	4.99	4	NC*				
Total	10.01	8	80				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.69	0	NC*	Male	0.73	0	NC*
Female	0.26	0	NC*	Female	0.82	0	NC*
Total	0.95	0	NC*	Total	1.56	0	NC*
<u>Hodgkin's Disease</u>				<u>Prostate</u>			
Male	0.24	0	NC*	Male	12.11	8	66
Female	0.20	0	NC*				
Total	0.44	0	NC*				
<u>Kidney and Renal Pelvis</u>				<u>Stomach</u>			
Male	1.09	1	NC*	Male	0.84	0	NC*
Female	0.69	0	NC*	Female	0.53	1	NC*
Total	1.78	1	NC*	Total	1.37	1	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.66	0	NC*	Male	0.32	0	NC*

Female	0.20	0	NC*				
Total	0.85	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.78	0	NC*	Male	0.19	0	NC*
Female	0.62	1	NC*	Female	0.54	0	NC*
Total	1.40	1	NC*	Total	0.74	0	NC*
<u>Liver and Intrahepatic Bile Ducts</u>				<u>Uteri, Corpus and Uterus, NOS</u>			
Male	0.38	0	NC*				
Female	0.17	0	NC*	Female	2.32	2	NC*
Total	0.54	0	NC*				
<u>Lung and Bronchus</u>				<u>All Sites / Types</u>			
Male	6.31	1	NC*	Male	38.75	21	54 ~-
Female	4.92	1	NC*	Female	37.58	18	48 ^-
Total	11.23	2	NC*	Total	76.33	39	51 ^-

Exp = expected case count, based on the Massachusetts average age-specific incidence rates for this cancer

Obs = observed case count

SIR = standardized incidence ratio [(**Obs** / **Exp**) X 100]

* = **SIR** and statistical significance not calculated when **Obs** < 5

+ indicates number of observed cases is statistically significantly higher than the expected number of cases

- indicates number of observed cases is statistically significantly lower than the expected number of cases

indicates statistical significance at the $p \leq 0.05$ level

~ indicates statistical significance at the $p \leq 0.01$ level, as well as at the $p \leq 0.05$ level

^ indicates statistical significance at the $p \leq 0.001$ level, as well as at the $p \leq 0.05$ and $p \leq 0.01$ levels